

# Mod. MUB78


# MULTI UTILITY BOX

Lightweight high capacity injection moulded polypropylene box for tough, heavy duty use. Ideal for use where high loading capacity is needed like construction sites, maintenance, transport, outdoor, nautical equipment.





#### METRIC MM-KG-C°



#### INTERNAL DIMENSIONS

| L LENGTH | 780 mm |
|----------|--------|
| W WIDTH  | 410 mm |
| D DEPTH  | 330 mm |
| LID      | 50 mm  |
| BASE     | 280 mm |


### **EXTERNAL DIMENSIONS**

| L LENGTH | 807 mm |
|----------|--------|
| W WIDTH  | 470 mm |
| D DEPTH  | 345 mm |
|          |        |

#### OTHER DATA

| WEIGHT EMPTY             | 6.30 Kg      |
|--------------------------|--------------|
| WEIGHT WITH FOAM         | Kg           |
| WEIGHT WITH CUSTOM       | Kg           |
| FOAM<br>VOLUME           | 89 lt        |
| BUOYANCY                 | 80.5 Kg/max  |
| OPERATING<br>TEMPERATURE | °C min / max |

#### IMPERIAL IN-LBS-F°



#### INTERNAL DIMENSIONS

| LENGTH  | 30 11/16 in |
|---------|-------------|
| √ WIDTH | 16 1/8 in   |
| DEPTH   | 13 in       |
| .ID     | 1 15/16 in  |
| BASE    | 11 in       |

#### **EXTERNAL DIMENSIONS**

| L LENGTH | 31 3/4 ir  |
|----------|------------|
| W WIDTH  | 18 1/2 ir  |
| D DEPTH  | 13 9/16 ir |
|          |            |
|          |            |

#### OTHER DATA

| WEIGHT EMPTY       | 13.88 lbs      |
|--------------------|----------------|
| WEIGHT WITH FOAM   | lbs            |
| WEIGHT WITH CUSTOM | lbs            |
| FOAM               |                |
| VOLUME             | 23.51 gal      |
| BUOYANCY           | 177.47 lbs/max |
| OPERATING          | °F min / max   |
| TEMPERATURE        |                |



# **FEATURES**



# **ACCESSORIES**



#### KIT TRAY MUB

KIT TRAY MUB
Tray with removable divider for MUB.



#### **FOAM SET FOR CASE MUB78**

FOAM.MUB78

Layers of pre cubed foam for the bottom and convoluted foam for the lid. The pre-cubed foam allows the user to tailor the insert to their own individual requirement. The convoluted foam in the lid helps to firmly keep the stored equipment when the case is closed. Available for MUB78 model. Color: dark grey. <a href="DOWNLOAD PDF">DOWNLOAD PDF</a>



## PROTECTIVE SLEEVE FOR PC 15"-15.6"

TOP ENVELOPE 15

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



#### PROTECTIVE SLEEVE FOR PC 13"-13.3"

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.





#### PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



#### PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



#### **BLIND INSERT**

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



## TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case withoutdestrying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.





#### **METAL BRACKET**

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



#### PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



# **SPARE PARTS**



#### Wheels for model MUB78

KIN.0810

Includes: 2 self-oiling wheels 2 fixing pins



## Latch for models MUB65-MUB78

KIN.0948

Includes: 1 black latch 1 fixing pin



# Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122-MUB78

KIN.0496

Includes: 1 transparent name tag holder



#### Handle for mod.

7630-7726-7745-11413-13513-13527-15416-10826-10840-MUB78

KIN.0425

Includes: 1 black handle 2 fixing pins





Handle for mod. 7630-7726-7745-11413-13513-13527-15416-10826-10840-MUB78

Includes: 1 sand handle 2 fixing pins



Handle for models 7630-7726-7745-11413-13513-13527-10826-10840-15416-MUB78 KIN.0424

Includes: 1 military green handle 2 fixing pins



# Extractable handle for mod. 7630 (previous version) and MUB78

KIN.041

Includes: 1 black handle 2 fixing pins 2 torsion springs



# Handle for models 7630-7726-7745-11413-13513-13527-10826-10840-15416-MUB78

KIN.0423

Includes: 1 orange handle 2 fixing pins

